



Address: HSL-AD, Ground Floor, 60 Whitfield Street, London, W1T 4EU

Tel: +44 (0)20 3912 0280 | Email: AD@hslpathology.com | Web: www.hsl-ad.com

IQC	INITIALS	DATE
Cut		
Labelled		
Collated		
QC		
Packaged		

HER-2 BREAST IHC REQUEST FORM

FOR LABORATORY USE ONLY

HSL-AD NUMBER: _____ MATERIAL RECEIVED: _____

PRICE (TO BE INVOICED): _____ DATE RECEIVED & INITIALS: _____

PATIENT / SAMPLE DETAILS

SURNAME: _____ SURGICAL CASE ID: _____

FORENAME: _____ TUMOUR TYPE & GRADE: _____

DOB: _____ **M** **F**

REFERRING HOSPITAL / INVOICING DETAILS

CONSULTANT: _____

ADDRESS: _____

PHONE: _____

INVOICING DETAILS (if different)

CONTACT NAME: _____

ORGANISATION: _____

ADDRESS: _____

PURCHASE NUMBER: _____

REPORT DELIVERY (please tick - faxing of reports will end October 2020)

FAX

EMAIL

FAX NUMBER(S): _____

EMAIL ADDRESS(ES): _____

HER-2 BREAST IHC REPORT

HER-2 IHC RESULT

3+ POSITIVE

2+ EQUIVOCAL (FISH will be performed)

1+ NEGATIVE

0 NEGATIVE

TEST INFORMATION & COMMENTS

This assay is FDA-approved and uses the Ventana/Roche Her-2 4B5 antibody to detect Her-2 protein in formalin-fixed paraffin-embedded material. It is used to identify patients who may be eligible for treatment with anti-HER2 agents. All IHC 3+ patients are POSITIVE and those classed as 0 or 1+ are NEGATIVE. If result is 2+ (EQUIVOCAL) or if FISH is suggested by the reporting pathologist, automatic reflex to HER2 FISH testing will be performed.

SIGNED: _____

DATE: _____

Dr Mary Falzon/Dr Reena Khiroya